Tissue-Tek Genie®

anti-CD43 Mouse Monoclonal Antibody [DF-T1]

Instructions for use

Intended use

For in vitro diagnostic use.

Tissue-Tek Genie® anti-CD43 Mouse Monoclonal Antibody [DF-T1] is an antibody designed to qualitatively detect CD43 protein in formalin-fixed, paraffin embedded (FFPE) specimen sections by immunohistochemistry (IHC) staining the Tissue-Tek Genie® Advanced Staining System. The clinical interpretation must be made in conjunction with histological examination, relevant clinical information, other diagnostic tests and proper controls by a qualified pathologist.

Limitations

This product has been optimized for use with the default protocol for this antibody on the Tissue-Tek Genie Advanced Staining System, using Tissue-Tek Genie® reagents and FFPE specimen sections. Staining quality may diminish when used with other systems and/or reagents.

Summary and principle

CD43 is membrane glycoprotein expressed on the surface of thymocytes, T-cells, and cells of the myeloid lineage. The antibody labels CD43 in normal and neoplastic cells. It is a useful tool for identifying and classifying a range of lymphoid and myeloid tumors when used with a panel of antibodies.

The Tissue-Tek Genie anti-CD43 Mouse Monoclonal Antibody [DF-T1] is a primary antibody against the human CD43 protein and is provided in buffered saline

containing 1% bovine serum albumin and 0.09% sodium azide. FFPE specimen sections are placed on positively charged slides and the paraffin is removed using the Tissue-Tek Genie® Dewax Solution (EF 8865-G001), after which heat-induced epitope retrieval is performed using the Tissue-Tek Genie® High pH Antigen Retrieval Solution (EF 8744-G001).

IHC demonstration of CD43 in FFPE specimen sections is achieved through use of the Tissue-Tek Genie anti-CD43 Mouse Monoclonal Antibody [DF-T1] and the Tissue-Tek Genie® *Pro* Detection Kit, DAB (REF 8826-K250). This procedure entails the sequential application of antibody and kit components as follows:

- Tissue-Tek Genie[®] Protein Block
- Tissue-Tek Genie® anti-CD43 Mouse Monoclonal Antibody [DF-T1]
- Tissue-Tek Genie® Peroxidase Block
- Tissue-Tek Genie[®] Link (binds to the primary antibody)
- Tissue-Tek Genie[®] Polymer HRP-Conjugate (binds to the link)
- Tissue-Tek Genie® DAB (visualizes the detected protein)

Tissue-Tek Genie® Hematoxylin (REF 8830-M250) is then used to visualize the nuclei of cells. The IHC stained slide is cover-slipped and the FFPE specimen section reviewed using a light microscope.



Expected results

Specificity and intended use of this antibody were validated by performing IHC staining on the Tissue-Tek Genie Advanced Staining System using FFPE normal and tumor specimen sections.

In tonsil, staining of T-cells is observed in the T-zone, and with lower frequency positively stained T-cells and macrophages can be seen in germinal center. Positive staining is observed with T-cells and plasma cells in lamina propria of the appendix and colon. The antibody also labels neoplastic cells in low-grade B-cell lymphoma, peripheral T-cell lymphoma, and myeloid disorder.

Sensitivity and identification of CD43 protein by this antibody may be affected by improper specimen handling. This may alter antigenicity, weaken detection and may generate false negative results.

Cellular staining pattern: cytoplasmic and membranous Positive specimen control: appendix, lymph node, tonsil

Cautions and warnings

For professional use only. Take reasonable precautions when handling. Avoid contact of reagents with eyes, skin, and mucous membranes. Wear protective gloves, clothing, and eye/face protection.

Capsules filled with ready-to-use, pre-diluted, antibody are for single use only. Do not attempt to refill or add additional reagent. Discard capsule after use.

Cartridges filled with ready-to-use, pre-diluted, antibody are intended for multiple uses. Do not attempt to refill or add additional reagent. Discard cartridge when empty.

It is recommended to include appropriate controls on each specimen slide to help in identifying any deviation that might occur during the staining process.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Refer to the SDS for further information.

Storage conditions

Store this product at 2-8°C.

Instructions for use

Tissue-Tek Genie® anti-CD43 Mouse Monoclonal Antibody [DF-T1], capsules (REF 8279-C010):

- Place the Tissue-Tek Genie® Reagent Dispensing Area Tag (RDA-Tag) attached to the capsule into the RDA.
- Push the capsule into the RDA with foil side down and click the attached RDA-Tag down into place on the RDA.
- 3. Place the RDA on the desired station of the Tissue-Tek Genie Advanced Staining System.
- 4. Place the slide with the specimen section on the same station, specimen section side down.
- 5. Assign protocol 8279 to the same station.
- 6. Initiate execution of protocol 8279.
- 7. The RDA-Tag 8279 will be scanned and registered automatically when the staining process is initiated.
- 8. During the primary antibody application step, the antibody will be released from the capsule into the RDA and onto the specimen section on the slide.
- 9. The staining protocol continues to the end.

Tissue-Tek Genie® anti-CD43 Mouse Monoclonal Antibody [DF-T1], cartridge (EF 8279-M250):

- 1. Prior to placing the cartridge on the carousel of the Tissue-Tek Genie Advanced Staining System, prime the cartridge by facing the nozzle downwards and gently pinching the nozzle tubing until the tubing is filled with the reagent.
- 2. Place the cartridge on the carousel.
- 3. Click the RDA-Tag 8279 into place on the RDA.
- 4. Place the RDA on the desired station of the Tissue-Tek Genie Advanced Staining System.
- 5. Place the slide with the specimen section on the same station, specimen section side down.
- 6. Assign protocol 8279 to the same station.
- 7. Initiate execution of protocol 8279.
- 8. The RDA-Tag 8279 and the cartridge will be scanned and registered automatically when the staining process is initiated.



- During the primary antibody application step, the antibody will be dispensed from the cartridge into the RDA and onto the specimen section on the slide.
- 10. The staining protocol continues to the end.

Material required but not supplied

The following reagents may be required for staining but are not provided:

- Tissue-Tek Genie® Dewax Solution (REF) 8865-G001)
- Tissue-Tek Genie® Wash Solution
 (REF 8874-G004)
- Tissue-Tek Genie® High pH Antigen Retrieval Solution (EE 8744-G001)
- Tissue-Tek Genie[®] Non-immune Mouse Ig Antibody, Negative Control (REF) 8604-C010, 8604 -M250)
- Tissue-Tek Genie[®] Pro Detection Kit, DAB (REF) 8826-K250)
- Tissue-Tek Genie® Hematoxylin (REF 8830-M250)

Further information can be found on the Sakura Finetek USA website at www.sakuraus.com/Genie

Order information

Product code, product name and quantity

REI 8279-C010 Tissue-Tek Genie® anti-CD43 Mouse Monoclonal Antibody [DF-T1], Ready-To-Use, 10 capsules; 1 pack.

Ready-To-Use, 250 tests, 1 cartridge; 1 unit.

NOTE: The Safety Data Sheet (SDS) is available online on the Sakura Finetek USA website at **www.sakuraus.com/SDS.html**

References

1. Stross WP, et al. J Clin Pathol. 1989; 42:953-961.

Contact

If located within the United States, contact Sakura Finetek USA, Inc. by calling toll free 1-800-725-8723 or contact your Sakura Finetek representative or authorized distributor.

In countries, other than the United States, contact the nearest authorized Sakura Finetek instrument distributor or representative. Contact details may be found at www.sakura.com



Symbols







GS-32451 Rev. A

